



## SAFETY DATA SHEET

### Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

##### Product identifier

Product name	Chelamax® Magnesium Bisglycinate (Mg 11.7%)
Product number	FMG0GYP291OK, FMG0BGP311EU, FMG0GYG296OK, FMG0GYG236EU, FMG0GYG236OK
CAS number	14783-68-7

##### Recommended use of the chemical and restrictions on use

Application	Ingredient for use in dietary supplements, food supplements, and other nutrition products, as applicable.
Uses advised against	No specific uses advised against are identified.

##### Details of the supplier of the safety data sheet

Supplier	Innophos 259 Prospect Plains Rd. Bldg A Cranbury, NJ 08512 1-609-495-2495
----------	--

##### Emergency telephone number

Emergency telephone	CHEMTREC Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1-703-527-3887 (Collect calls accepted)(24/7)
---------------------	---

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

Physical hazards	Combustible Dust - USH01
Health hazards	Not Classified
Environmental hazards	Not Classified

##### Label elements

Signal word	Warning
Hazard statements	USH01 May form combustible dust concentrations in air.

##### Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### 3. Composition/information on ingredients

##### Mixtures

Composition comments	The exact composition and or concentration has been withheld as a trade secret per OSHA 29 CFR 1910.1200.
----------------------	---

#### 4. First-aid measures

##### Description of first aid measures



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	Brush off loose particles from skin. Remove affected person from source of contamination. Rinse immediately with plenty of water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

### Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Dust may irritate the respiratory system. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	Dust may cause slight irritation.

### Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.

## 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

Specific hazards	None known.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

### Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.
--	---



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage.

#### Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep container tightly sealed when not in use. Avoid handling which leads to dust formation.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store away from incompatible materials (see Section 10). No specific recommendations.

**Storage class** Unspecified storage.

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

#### Control parameters

##### Occupational exposure limits

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m<sup>3</sup> Total Dust (Particulate Not Otherwise Regulated-PNOR)

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m<sup>3</sup> Respirable Fraction (Particulate Not Otherwise Regulated-PNOR)

OSHA = Occupational Safety and Health Administration.

#### Exposure controls



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

### Protective equipment



<b>Appropriate engineering controls</b>	Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.
<b>Eye/face protection</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133. No specific eye protection required during normal use.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
<b>Other skin and body protection</b>	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
<b>Hygiene measures</b>	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
<b>Environmental exposure controls</b>	Not regarded as dangerous for the environment.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Solid.
Color	Off-white. White.
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not available.



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

Upper/lower flammability or explosive limits	Not available.
Other flammability	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	0.800-1.000
Bulk density	Not available.
Solubility(ies)	Not available.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not available.
Explosive under the influence of a flame	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Oxidizing properties	Not available.

### 10. Stability and reactivity

Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Materials to avoid	Oxidizing materials.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

### 11. Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

##### Summary

Based on available data the classification criteria are not met.



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

### Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

### Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

### Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

### Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

### Respiratory sensitization

Summary Based on available data the classification criteria are not met.

### Skin sensitization

Summary Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Summary Based on available data the classification criteria are not met.

### Carcinogenicity

Summary Based on available data the classification criteria are not met.

### IARC carcinogenicity

None of the ingredients are listed or exempt.

### Reproductive toxicity

Summary Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

Summary Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

Summary Based on available data the classification criteria are not met.

### Aspiration hazard

Summary Not relevant. Solid.

### General information

No specific health hazards known. Dust may irritate the eyes and the respiratory system. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Inhalation

Dust may irritate the respiratory system. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.

### Ingestion

May cause discomfort if swallowed.

### Skin Contact

Prolonged contact may cause dryness of the skin.

### Eye contact

Dust may cause slight irritation.

### Route of exposure

Ingestion Inhalation Skin and/or eye contact

### Target Organs

No specific target organs known.

## 12. Ecological information



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
Acute aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
Chronic aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
<b>Persistence and degradability</b>	
Persistence and degradability	The degradability of the product is not known.
<b>Bioaccumulative potential</b>	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	Not available.
<b>Mobility in soil</b>	
Mobility	No data available.
<b>Other adverse effects</b>	
Other adverse effects	None known.

### 13. Disposal considerations

#### Waste treatment methods

General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

### 14. Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).
<b>UN Number</b>	
UN No. (International)	Not applicable.
UN No. (DOT)	Not applicable.
<b>UN proper shipping name</b>	
Proper shipping name (International)	Not applicable.
Proper shipping name (DOT)	Not applicable.
<b>Transport hazard class(es)</b>	



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

[Transport Labels \(International\)](#) No transport warning sign required.

[DOT transport labels](#)

No transport warning sign required.

### Packing group

[Packing group \(International\)](#) Not applicable.

[DOT packing group](#) Not applicable.

### Environmental hazards

[Environmentally Hazardous Substance](#)

No.

### Special precautions for user

Not applicable.

[DOT reportable quantity](#) Not applicable.

[DOT TIH Zone](#) Not applicable.

[Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code](#) Not applicable.

## 15. Regulatory information

[Regulatory References](#) OSHA Hazard Communication Standard 29 CFR §1910.1200

### US Federal Regulations

[SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities](#)

None of the ingredients are listed.

[CERCLA/Superfund, Hazardous Substances/Reportable Quantities \(EPA\)](#)

None of the ingredients are listed.

[SARA Extremely Hazardous Substances EPCRA Reportable Quantities](#)

None of the ingredients are listed.

[SARA 313 Emission Reporting](#)

None of the ingredients are listed.

[CAA Accidental Release Prevention](#)

None of the ingredients are listed.

[FDA - Essential Chemical](#)

None of the ingredients are listed or exempt.

[FDA - Precursor Chemical](#)

None of the ingredients are listed or exempt.

[SARA \(311/312\) Hazard Categories](#)

Combustible Dust





## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

### OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

#### California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

#### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

#### California Directors List of Hazardous Substances

None of the ingredients are listed.

#### Massachusetts "Right To Know" List

None of the ingredients are listed.

#### Rhode Island "Right To Know" List

None of the ingredients are listed.

#### Minnesota "Right To Know" List

None of the ingredients are listed.

#### New Jersey "Right To Know" List

None of the ingredients are listed.

#### Pennsylvania "Right To Know" List

None of the ingredients are listed.

### Inventories

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

## 16. Other information



## Chelamax® Magnesium Bisglycinate (Mg 11.7%)

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

[Abbreviations and acronyms used in the safety data sheet](#) TDG: The transport of dangerous goods act

IATA: International air transport association.  
 ICAO: Technical instructions for the safe transport of dangerous goods by air.  
 IMDG: International maritime dangerous goods.  
 CAS: Chemical abstracts service.  
 ATE: Acute toxicity estimate.  
 LC<sub>50</sub>: Lethal concentration to 50 % of a test population.  
 LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).  
 EC<sub>50</sub>: 50% of maximal effective concentration.  
 PBT: Persistent, bioaccumulative and toxic substance.  
 vPvB: Very persistent and very bioaccumulative.

[Training advice](#) Read and follow manufacturer's recommendations. Only trained personnel should use this material.

[Issued by](#) Innophos

[Revision date](#) 2/17/2022

[Revision](#) 5

[Supersedes date](#) 10/20/2021

[Hazard statements in full](#) USH01 May form combustible dust concentrations in air.

\*This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to determine the suitability of such information for the user's own particular use, and for ensuring that all such uses and applications (including user's labeling of its products) comply with applicable law.